

- thane scaffolds with release of platelet-derived growth factor for tissue repair and regeneration. *Pharm Res* 2008; 25 (10):2387-99.
- [0258] 5. Guelcher S, Srinivasan A, Hafeman A, Gallagher K, Doctor J, Khetan S, McBride S, Hollinger J. Synthesis, In vitro degradation, and mechanical properties of two-component poly(ester urethane)urea scaffolds: Effects of water and polyol composition. *Tissue Engineering* 2007; 13 (9):2321-2333.
- [0259] 6. Zhang J-Y, Beckman E J, Piesco N J, Agarwal S. A new peptide-based urethane polymer: synthesis, biodegradation, and potential to support cell growth in vitro. *Biomaterials* 2000; 21:1247-1258.
- [0260] 7. Bosse M J, MacKenzie E J, Kellam J F, Burgess A R, Webb L X, Swiontkowski M F, Sanders R W, Jones A L, McAndrew M P, Patterson B M and others. An analysis of outcomes of reconstruction or amputation after leg-threatening injuries. *N Engl J Med* 2002; 347 (24): 1924-31.
- [0261] 8. Friedman C D, Constantino P D, Takagi S, Chow L C. BoneSource™ hydroxyapatite cement: a novel biomaterial for craniofacial skeletal tissue engineering and reconstruction. *J Biomed Mater Res* 1998; 43 (4):428-32.
- [0262] 9. Chim H, Gosain A K. Biomaterials in craniofacial surgery experimental studies and clinical application *J Craniofac Surg* 2009; 20:29-33.
- [0263] 10. Gasparini G, Boniello R, Moro A, Tamburrini G, Di Rocco C, Febo S. Cranial reshaping using methyl methacrylate: technical note. *J Craniofac Surg* 2009; 20:184-190.
- [0264] Moreira-Gonzalez A, Jackson I T, Miyawaki T, Barakat K, DiNick V. Clinical outcome in cranioplasty: critical review in long-term follow-up. *J Craniofac Surg* 2003; 14:144-153.
- [0265] 12. Bohner M. Calcium orthophosphates in medicine: from ceramics to calcium phosphate cements. *Injury* 2000; 31 (Supplement 4):S-D37-47.
- [0266] 13. Hollier L H, Stal S. The use of hydroxyapatite cements in craniofacial surgery. *Clin Plastic Surg* 2004; 31:423-428.
- [0267] 14. United States Food and Drug Administration Center for Devices and Radiological Health, Manufacturer and User Facility Device Experience Database. Available at <http://www.fda.gov/cdrh/maude.html>. Accessed Nov. 5, 2008.
- [0268] 15. Baker S B, Weinzweig J, Kirschner R E, Bartlett S P. Applications of a new carbonated calcium phosphate bone cement: early experience in pediatric and adult craniofacial reconstruction. *Plast Reconstr Surg* 2002; 109: 1789-1796.
- [0269] 16. Goldberg C S, Antonyshyn O, Midha R, et al. Measuring pulsatile forces on the human cranium: *J Craniofac Surg* 2005; 16 (1):134-9.
- [0270] 17. Boyce T M, Winterbottom J M, Kaes D R, Shimp L A, Knaack D A. Development of a bone-derived composite implant for skeletal applications. In: Hollinger J O, editor; 2003; Pittsburgh, Pa.
- [0271] 18. Osteotech I. Concerned about the safety of your autograft?; 2006.
- [0272] 19. Bilezikian J P, Raisz L G, Rodan G A, editors. Principles of Bone Biology. Volume One. New York: Academic Press; 1996. 1-1398 p.
- [0273] 20. Market Dynamics: Bone Substitutes and Growth Factors. New York: Datamonitor (DMHC1812); 2002. p 118-32.
- [0274] 21. Newton C D, Nunamaker D B. Textbook of small animal orthopaedics. Philadelphia: Lippincott; 1985.
- [0275] 22. Adhikari R, Gunatillake P A, Griffiths I, Tatai L, Wickramaratna M, Houshyar S, Moore T, Mayadunne R T, Field J, McGee M and others. Biodegradable injectable polyurethanes: synthesis and evaluation for orthopaedic applications. *Biomaterials* 2008; 29 (28):3762-70.
- [0276] 23. Malinin T I, Carpenter E M, Temple H T. Particulate bone allograft incorporation in regeneration of osseous defects; importance of particle sizes. *Open Orthop J* 2007; 1:19-24.
- [0277] 24. Guelcher S. Biodegradable polyurethanes: synthesis and applications in regenerative medicine. *Tissue Eng B* 2008; 14 (1):3-17.
- [0278] 25. Storey R F, Wiggins J S, Puckett A D. Hydrolyzable poly(ester-urethane) networks from L-lysine diisocyanate and D,L-lactide/e-caprolactone homo- and copolyester triols. *Journal of Polymer Science, Part A: Polymer Chemistry* 1994; 32 (12):2345-2363.
- [0279] 26. Skarja G A, Woodhouse K A. Structure-property relationships of degradable polyurethane elastomers containing an amino acid-based chain extender. *Journal of Applied Polymer Science* 2000; 75:1522-1534.
- [0280] 27. Goma K, Gogolewski S. Preparation, degradation, and calcification of biodegradable polyurethane foams for bone graft substitutes. *J Biomed Mater Res* 2003; 67A:813-827.
- [0281] 28. Vertenten G, Vlaminc L, Gorski T, Schreurs E, Van Den Broeck W, Duchateau L, Schacht E, Gasthuys F. Evaluation of an injectable, photopolymerizable three-dimensional scaffold based on D,L-lactide and e-caprolactone in a tibial goat model. *J Mater Sci: Mater Med* 2008; 19:2761-9.
- [0282] 29. Bennett S, Connolly K, Lee DR, Jiang Y, Buck D, Hollinger J O, Gruskin E A. Initial biocompatibility studies of a novel degradable polymeric bone substitute that hardens in situ. *Bone* 1996; 19 (1, Supplement):101S-107S.
- [0283] 30. Coury A. Chemical and Biochemical Degradation of Polymers. In: Ratner B, Hoffman A, Schoen F, Lemons J, editors. *Biomaterials Science: An Introduction to Materials in Medicine*. Boston: Elsevier Academic Press; 2004. p 411-430.
- [0284] 31. Blais P. Letter to the editor. *J Appl Biomater* 1990; 1:197.
- [0285] 32. Szycher M, Siciliano A. An assessment of 2,4-TDA formation from Surgitek polyurethane foam under stimulated physiological conditions. *J Biomater Appl* 1991; 5:323-336.
- [0286] 33. Chen X, Schmidt A H, Tsukayama D T, Bourgeault C A, Lew W D. Recombinant Human Osteogenic Protein-1 Induces Bone Formation in a Chronically Infected, Internally Stabilized Segmental Defect in the Rat Femur. *J Bone Joint Sur Am* 2006; 88:1510-1523.
- [0287] 34. Chen X Q, Kidder L S, Lew W D. Osteogenic protein-1 induced bone formation in an infected segmental defect in the rat femur. *J Orthopaedic Res* 2002; 20:142-150.
- [0288] 35. Hasegawa S, Ishii S, Tamura J, Furukawa T, Neo M, Matsusue M, Shikinami Y, Okuno M, Nakamura T. A 5-7 year in vivo study of high-strength hydroxyapatite/poly(L-lactide) composite rods for the internal fixation of bone fractures. *Biomaterials* 2006; 27:1327-1332.